

SOCKET WRENCHES 1/4"




EGA Master offers a wide range of socket wrenches, available in both short and long series, along with a large number of complementary items such as adapters, articulated handles, extensions, ratchet wrenches, etc..

It offers ranges of 1/4", 3/8", 1/2", 3/4", and 1" drive square in manual sockets and 3/8", 1/2", 3/4", 1", 1.1/2", 2.1/2", and 3.1/2" in impact sockets, being the only ones in the sector with such an extensive range.

1. 6 and 12-point sockets are available in both millimeters and inches.

2. Made of chrome-vanadium, they are designed to withstand high torque with minimal wear, providing greater durability.



3. Wide range of complementary items available: adapters, articulated handles, extensions, ratchet wrenches, etc.


TECHNICAL SPECIFICATIONS

MATERIAL	Cr-V
MINIMUM HARDNESS	39 HRc.*

*Minimum hardness for sockets and accessories except for reversible ratchet wrenches 62620, 62603 for which it is 44 HRc and 57411 and 57414 for which it is 42-46 HRc.

SOCKET WRENCHES 1/4" STANDARD


MM



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2
61322	3,2		6		7		7,08			
61311	4		7		8		10,4			
63974	4,5		8				12	9		30
61312	5		9				15,1			
63975	5,5		10				17,8			
61313	6		11			9	20,6	10		
61314	x 7	25	12			6	26,8	12		25
61315	x 8		13				33,6			
61316	9		14				41,1	13		
61317	10		15	13			49,1	15		
61318	11		16	14			57,8	17		20
61319	12		17		13		67	20		
61320	13		18	15			68,6	23		
61321	14		19							

DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque


MM



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2
59992	4		7		5		10,4			
63977	5		8				15,1	9		
63978	5,5		9				17,8			30
63979	6		10	12			20,6	10		
63980	7		11			9	26,8	12		25
63981	x 8	25	12			12	33,6			
63982	x 9		13				41,1	13		
63983	10		14	13			49,1	15		
63984	11		15	14			57,8	17		20
63985	12		16		13		67	20		
63986	13		17	15			68,6	23		
63987	14		18							

DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque


INCH



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2
59989	1/8		6		7		7,08			
60420	5/32		7		9		10,4	9		30
60421	3/16		8				15,1			
60422	7/32		9	12			17,8	10		
60423	1/4		9,5		11		20,6	12		
60424	y 9/32	25	11			6	26,8	13		25
60425	y 5/16		12				33,6			
60426	11/32		13				41,1	15		
60427	3/8		14	14		12	49,1	16		
60428	7/16		16	16			57,8	21		20
60429	1/2		18	18			68,6	27		
60430	9/16		20	20	13			34		

DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque

INCH




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2
63989	3/16		7		9		15,1	9		30
63990	7/32		8				17,8	10		
63991	1/4		9,5	12	11		20,6	12		
63992	9/32		11				26,8	13		25
63993	y 5/16	25	12			12	33,6			
63994	y 11/32		13				41,1	15		
63995	3/8		14	14		12	49,1	16		
63996	7/16		16	16			57,8	21		20
63997	1/2		18	18			68,6	27		
63998	9/16		20	20	13			34		

DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque

x 50% aerospace chrome-plated - 50% mirror-polished chrome-plated
y 100% mirror-polished chrome-plated

SOCKET WRENCHES 1/4" LONG SOCKETS


■ MM



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67640	4		7	10		10,4	20			
67641	4,5					12	21			
67642	5		8			15,1	23			
67643	5,5		9	11		17,8	24			
67644	6		9,5	14		20,6	26			
67645	7		11			26,8	27			
67646	x 8	50	12	19	6	33,6		10	●	
67647	9		13	20		41,1	37			
67648	10		15	20		49,1	39			
67649	11		16	22		57,8	46			
67650	12		17			67	50			
67651	13		18	23		68,6	55			
67652	14		20				75			

● I DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque


■ MM



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
59993	4		7			10,4				
67660	5		8	11		15,1	24			
67661	5,5		9			17,8				
67662	6		9,5	14		20,6	26			
67663	7		11			26,8	27			
67664	x 8	50	12	19	12	33,6		10	●	
67665	x 9	50	13	20		41,1	37			
67666	10		15	20		49,1	39			
67667	11		16	22		57,8	46			
67668	12		17			67	50			
67669	13		18	23		68,6	55			
67670	14		20				75			

● I DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque


■ INCH



COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67674	5/32		7	8		10,4	22			
67675	3/16		8	11		15,1	24			
67676	7/32		9	14		17,8				
67677	1/4		9,5			20,6				
67678	9/32		11	18		26,8	28			
67679	y 5/16	50	12	19	6	33,6		10	●	
67680	11/32		13	20		41,1	30			
67681	3/8					49,1	44			
67682	7/16		16	22		57,8	45			
67683	1/2					68,6	55			
67684	9/16		20	26			70			

● I DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque

■ INCH




COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67689	5/32		7	8		10,4	22			
67690	3/16		8	11		15,1	24			
67691	7/32		9	14		17,8				
67692	1/4		9,5			20,6				
67693	9/32		11	18		26,8	28			
67694	y 5/16	50	12	19	12	33,6		10	●	
67695	11/32		13	20		41,1	30			
67696	3/8					49,1	44			
67697	7/16		16	22		57,8	45			
67698	1/2					68,6	55			
67699	9/16		20	26			70			

● I DIN 3124 UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque

x 50% aerospace chrome-plated - 50% mirror-polished chrome-plated
y 100% mirror-polished chrome-plated

SOCKET WRENCHES 1/4" TORX®*




COD.		L (mm)	A (mm)	B (mm)	C (mm)			
57165	E4	25	7	12	6	11	25	●
57166	E5		8		8	12		
57167	E6		9		13	12		
57168	E7		10		14	13		
57169	E8		11		16	14		
57170	E10		13		16	16		

UNE 16501:2009 (ISO 1711-1)



SOCKET WRENCHES 1/4" SPLINE



COD.					L (mm)	A (mm)	B (mm)	C (mm)	N.m*			
56015	M5	5/32	4	E5	25	7	7	10,4	10	30	●	
56017	M6	-	5	E6		8	8	15,1				
56018	M7	7/32	5,5	-		8,5	8,5	17,8				
56019	-	-	6	-		9	9	20,6				
55813	-	1/4	-	-		9	9	20,6				
56020	M9	9/32	7	-		10,5	10,5	26,8				
56021	y M10	5/16	8	E10	13	13	33,6	14	20			
56023	-	-	10	-	10	10	49,1	20				
55814	-	3/8	-	-	16	16	49,1	23				
56024	M14	7/16	11	E14	18	18	57,8	27				
56025	M15	-	12	E16	18	18	67	27				
56026	M16	1/2	13	-	19	19	68,6	30				
56027	M18	-	14	E18	20	20	68,6	33				


DIN 3120

UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque



*For TORX® screws (Trademark registered by Acument Intellectual Properties, LLC, Troy, Mich., US)
y 100% mirror-polished chrome-plated

SCREW EXTRACTOR FOR 50% ROUNDED OFF NUTS 1/4"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	N.m*	g	Icon 1	Icon 2
56015	4			7		10,4			
56017	5			8		15,1			
56018	5,5		12	8,5		17,8	10	30	
56019	6			9		20,6			
56020	7			10,5		26,8		25	
56021	8	25	13	13	10	33,6	14		●
56023	10					49,1	23		
56024	11		16	16		57,8		20	
56025	12		18	18		67	27		
56026	13		19	19		68,6	30		
56027	14		20	20			33		

DIN 3120

UNE 16501:2009 (ISO 1711-1) N.m* Maximum torque



UNIVERSAL SOCKET 1/4"

MM

COD.	AF mm	L (mm)	g	Icon 1	Icon 2
57279	6				
57280	7				
57281	8	34	23		
57282	9				
57283	10			10	●
57284	11				
57285	12	37	56		
57286	13				
57287	14				



INCH

COD.	AF inch	L (mm)	g	Icon 1	Icon 2
57288	1/4				
57289	5/16	34	23		
57290	3/8			10	●
57291	7/16	37	56		
57292	1/2				




x 50% aerospace chrome-plated - 50% mirror-polished chrome-plated
y 100% mirror-polished chrome-plated





ADAPTER 1/4"

COD.				
65880	1/4-3/8	15	6	•




RETENTION CLIP ADAPTER 1/4"







COD.		L (mm)	A (mm)	B (mm)			
62775	1/4-1/4	25	12	12	10	6	•



BALL RETAINER ADAPTER 1/4"



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
65846	1/4-1/4	25	11	12	11	12	10	•



SOCKET HOLDER BIT 1/4"






COD.		L (mm)			
55265	1/4-1/4	25	10	6	•



SOCKET HOLDER 1/4"

COD.		L (mm)			
66732	1/4	180	95	6	•



COD.			L (mm)			
61281	1/4	1/4	150	95	80	•



MAGNETIC BITHOLDER SCREWDRIVER 1/4"

COD.		L (mm)			
66731	1/4	215	105	6	•



MAGNETIC BITHOLDER SCREWDRIVER 1/4"


COD.		L (mm)			
76737	1/4	210	120	6	•





△ 1000V | IEC 60900

COD.		L (mm)			
66249	1/4	150	75	6	•








REVERSIBLE RATCHET HANDLE 1/4"




COD.		L (mm)	A (mm)	B (mm)	C (mm)	D (mm)			
62620	1/4	95	26	16	14	23	60	6	•
62603		140	23	21	22	17	105		





DIN 3122



COD.		L (mm)	A (mm)	B (mm)	C (mm)	D (mm)			
57411	1/4	160	22	21	23	17	120	6	•

DIN 3122



COD.		L (mm)	A (mm)	B (mm)	C (mm)	D (mm)			
57414	1/4	180	23	21	21	17	150	6	•

DIN 3122



SLIDING "T" HANDLE 1/4"

COD.		L (mm)			
61438	1/4	115	60	5	•

DIN 3122



UNIVERSAL JOINT 1/4"

COD.				
61435	1/4	30	10	•

DIN 3123




EXTENSION 1/4"

COD.	AF inch	L (inch)	g		
61442	1/4	2	25	5	•
61454		3	35		
61443		4	45		
61444		6	65		
62731		10	110		

DIN 3123



SPEEDER HANDLE 1/4"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g	
61408	1/4	425	130	145	100	450	5

DIN 3122



FLEXIBLE HANDLE 1/4"

COD.	AF inch	L (inch)	g	
61445	1/4	6	60	5

DIN 3122



SWIVEL HANDLE 1/4"

COD.	AF inch	L (mm)	g		
65874	1/4	150	260	5	•



KITS - SETS 1/4"

■ 10 PCS.


COD.	AF inch	PCS.		Kg
58694	1/4	10	STANDARD PATTERN	0,7




PCS./UN.	Composition	Description		
6	57165, 57166, 57167, 57168, 57169, 57170	Torx® Socket wrenches	E4-E5-E6-E7-E8-E10	★ -
	62603	Ratchet	-	
	61443	Extension	6"	
1	61435	Universal joint	-	
	61438	T handle	-	




KITS - SETS 1/4"




■ 12 PCS.

COD.		PCS.		
58685	1/4	12	STANDARD PATTERN	0,7


PCS./UN.	Composition	Description			
9	61311, 61312, 61313, 61314, 61315, 61316, 61317, 61318, 61319	Socket wrenches	4-5-6-7-8-9-10-11-12 mm		-
1	62603	Ratchet	-		
2	61442, 61443	Extension	2" - 4"		







COD.		PCS.		
58687	1/4	12	LONG SOCKETS	0,9




PCS./UN.	Composition	Description			
9	67640, 67642, 67644, 67645, 67646, 67647, 67648, 67649, 67650	Long socket wrenches	4-5-6-7-8-9-10-11-12 mm		-
1	62603	Ratchet	-		
2	61442, 61443	Extension	2" - 4"		







COD.		PCS.		
58686	1/4	12	STANDARD PATTERN	0,7

PCS./UN.	Composition	Description			
9	60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429	Socket wrenches	3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2"		-
1	62603	Ratchet	-		
2	61442, 61443	Extension	2" - 4"		

COD.		PCS.		
58688	1/4	12	LONG SOCKETS	0,9

PCS./UN.	Composition	Description			
9	67675, 67676, 67677, 67678, 67679, 67680, 67681, 67682, 67683	Socket wrenches	3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2"		-
1	62603	Ratchet	-		
2	61442, 61443	Extension	2" - 4"		

COD.		PCS.		
61323	1/4	12	STANDARD PATTERN	0,4



PCS./UN.	Composition	Description			
11	61311, 61312, 61313, 61314, 61315, 61316, 61317, 61318, 61319, 61320, 61321	Socket wrenches	4-5-6-7-8-9-10-11-12-13-14 mm		-
1	62603	Ratchet	-		



KITS - SETS 1/4"

12 PCS.







COD.	AF inch	PCS.		Kg
61324	1/4	12	STANDARD PATTERN	0,4

PCS./UN.	Composition	Description		
11	60420, 60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429, 60430	Socket wrenches	5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
1	62603	Ratchet	-	



16 PCS.







COD.	AF inch	PCS.		Kg
58689	1/4	16	SERIE ESTANDAR	0,9

PCS./UN.	Composition	Description		
11	60420, 60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429, 60430	Socket wrenches	5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
	62603	Ratchet	-	
	61443	Extension	4"	
1	61435	Universal joint	-	
	61438	Hinged handle	-	
	66732	Socket holder	-	



18 PCS.

COD.	AF inch	PCS.		Kg
55591	1/4	18	STANDARD PATTERN	0,9






PCS./UN.	Composition	Description		
13	61311, 63974, 61312, 63975, 61313, 61314, 61315, 61316, 61317, 61318, 61319, 61320, 61321	Socket wrenches	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	
	62603	Ratchet	-	
	61443	Extension	4"	
1	61438	T handle	-	
	61435	Universal joint	-	
	66732	Socket holder	-	



KITS - SETS 1/4"

21 PCS.







COD.	AF inch	PCS.		Kg
58697	1/4	21	STANDARD AND CROWFOOT PATTERN	2,1

PCS./UN.	Composition	Description		
11	60420, 60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429, 60430	Socket wrenches	5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
5	57218, 57219, 57220, 57221, 57222	Open end Crowfoot wrench	5/16" - 3/8" - 7/16" - 1/2" - 9/16"	
1	62603	Ratchet	-	
2	61454, 61444	Extension	3" - 6"	
1	61435	Universal joint	-	
	66732	Socket holder	-	









24 PCS.

COD.	AF inch	PCS.		Kg
58693	1/4	24	LONG SOCKETS	2

PCS./UN.	Composition	Description		
10	67640, 67642, 67644, 67645, 67646, 67647, 67648, 67649, 67650, 67651	Long socket wrenches	4-5-6-7-8-9-10-11-12-13 mm	
9	67675, 67676, 67677, 67678, 67679, 67680, 67681, 67682, 67683	Long socket wrenches	3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2"	
	62603	Ratchet	-	
	61442	Extension	2"	
1	65874	Hinged handle	-	
	61435	Universal joint	-	
	66732	Socket holder	-	



COD.	AF inch	PCS.		Kg
61791	1/4	24	STANDARD PATTERN	1,6






PCS./UN.	Composition	Description		
10	61311, 61312, 61313, 61314, 61315, 61316, 61317, 61318, 61319, 61320	Socket wrenches	4-5-6-7-8-9-10-11-12-13 mm	
9	60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429	Socket wrenches	3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2"	
	62603	Ratchet	-	
	61442	Extension	2"	
1	61435	Universal joint	-	
	65874	Hinged handle	-	
	66732	Socket holder	-	



KITS - SETS 1/4"

■ 25 PCS.










COD.	AF inch	PCS.		Kg
58696	1/4	25	STANDARD PATTERN AND CROWFOOT	1,1

PCS./UN.	Composition	Description		
13	61311, 63974, 61312, 63975, 61313, 61314, 61315, 61316, 61317, 61318, 61319, 61320, 61321	Socket wrenches	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	
7	57211, 57212, 57213, 57214, 57215, 57216, 57217	Open end Crowfoot wrenches	7-8-9-10-11-12-13 mm	
1	62603	Ratchet	-	
2	61454, 61444	Extension	3"-6"	
1	61435	Universal joint	-	
	66732	Socket holder	-	












■ 29 PCS.

COD.	AF inch	PCS.		Kg
61958	1/4	29	STANDARD PATTERN	0,8

PCS./UN.	Composition	Description		
11	61311, 61312, 61313, 61314, 61315, 61316, 61317, 61318, 61319, 61320, 61321	Socket wrenches	4-5-6-7-8-9-10-11-12-13-14 mm	
1	62603	Ratchet	-	
2	61442, 61444	Extension	2"-6"	
	61438	T handle	-	
1	61435	Universal joint	-	
5	66743, 66744, 66745, 66746, 66747	Hex bit socket	3-4-5-6-8	
3	66733, 66734, 66735	Flat bit socket	4 x 0,8 - 5,5 x 1 - 6,5 x 1,2	
4	66737, 66738, 66739, 58900	Phillips® bit socket	PH1-PH2-PH3-PH4	
1	66732	Socket holder	-	



COD.	AF inch	PCS.		Kg
61961	1/4	29	STANDARD PATTERN	0,8










PCS./UN.	Composition	Description		
11	60420, 60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429, 60430	Socket wrenches	5/32"-3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"-9/16"	
1	62603	Ratchet	-	
2	61442, 61444	Extension	2"-6"	
	61438	T handle	-	
1	61435	Universal joint	-	
5	66743, 66744, 66745, 66746, 66747	Hex bit socket	3-4-5-6-8	
3	66733, 66734, 66735	Flat bit socket	4 x 0,8 - 5,5 x 1 - 6,5 x 1,2	
4	66737, 66738, 66739, 58900	Phillips® bit socket	PH1-PH2-PH3-PH4	
1	66732	Socket holder	-	

*For PHILLIPS® screws (Trademark registered by Phillips Screw Company)

KITS - SETS 1/4"

29 PCS.

COD.	AF inch	PCS.		Kg
55667	1/4	29	STANDARD PATTERN	0,8









PCS./UN.	Composition	Description		
11	56015, 56017, 56018, 56019, 56020, 56021, 56023, 56024, 56025, 56026, 56027	Spline	M5, M6, M7, M8, M9, M10, M12, M14, M15, M16, M18	
1	62603	Ratchet		
2	61442, 61444	Extension	2"-6"	
	61438	T handle		
1	61435	Universal joint		
5		Hex bit socket	3-4-5-6-8	
3		Flat bit socket	4 x 0,6 - 5,5 x 1 - 7 x 12	
4		Phillips® bit socket	PH1-PH2-PH3-PH4	
1		Socket holder		



30 PCS.










NI

COD.	AF inch	PCS.		Kg
58690	1/4	30	LONG SOCKETS	3

PCS./UN.	Composition	Description		
11	67640, 67642, 67643, 67644, 67645, 67646, 67647, 67648, 67649, 67650, 67651	Long socket wrenches	4-5-5,5-6-7-8-9-10-11-12-13 mm	
	67674, 67675, 67676, 67677, 67678, 67679, 67680, 67681, 67682, 67683, 67684		5/32"-3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
1	62603	Ratchet		
2	61442, 61444	Extension	2"- 6"	
	61445	Extension flexible	6"	
	61435	Universal joint		
1	65874	Hinged handle		
	61438	T handle		
	66732	Socket holder		











COD.	AF inch	PCS.		Kg
58691	1/4	30	SERIES ESTÁNDAR Y LARGA	2,8

PCS./UN.	Composition	Description		
11	60420, 60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429, 60430	Laves de vaso	5/32"-3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
11	67674, 67675, 67676, 67677, 67678, 67679, 67680, 67681, 67682, 67683, 67684	Long socket wrenches	5/32"-3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 7/16" - 1/2" - 9/16"	
1	62603	Ratchet		
2	61442, 61444	Extension	2"- 6"	
	61445	Extension flexible	6"	
	65874	Hinged handle		
1	61438	T handle		
	61435	Universal joint		
	66732	Socket holder		

KITS - SETS 1/4"



30 PCS.







COD.		PCS.		
55592	1/4	30	STANDARD PATTERN	2,5

PCS./UN.	Composition	Description		
11	61322, 61311, 61312, 63975, 61313, 61314, 61315, 61316, 61317, 61318, 61319	Socket wrenches	3,2-4-5-5,5-6-7-8-9-10-11-12 mm	
	60420, 60421, 60422, 60423, 60424, 60425, 60426, 60427, 60428, 60429, 60430		5/32"-3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"-9/16"	
1	62603	Ratchet	-	
2	61442, 61444	Extension	2"-6"	
	61445	Extension flexible		
	65874	Hinged handle		
1	61438	T handle	-	
	61435	Universal joint		
	66732	Socket holder		



32 PCS.

COD.		PCS.		
58695	1/4	32	STANDARD PATTERN	1,7









PCS./UN.	Composition	Description		
1	62603	Ratchet	-	
	61443	Extension	4"	
5	66743, 66744, 66745, 66746, 66747	Hex bit socket	3-4-5-6-8 mm	
4	55697, 55698, 55699, 55700			1/16"-5/64"-9/64"-7/32"
	66733, 66734, 66735, 66736	Flat bit socket	4 x 0,8 - 5,5 x 1 - 6,5 x 1,2 - 8 x 1,2	
3	66737, 66738, 66739	Phillips® bit socket	PH1-PH2-PH3	
	66740, 66741, 66742	Pozidriv bit socket	PZ1-PZ2-PZ3	
11	66729, 66730, 66748, 66749, 66750, 66751, 66752, 66753, 66754, 66755, 66756	Torx® bit socket	T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40	



KITS - SETS 1/4"

■ 33 PCS.

COD.	AF inch	PCS.		Kg
55590	1/4	33	STANDARD PATTERN AND LONG SOCKETS	2,8






PCS./UN.	Composition	Description		
13	61322, 61311, 61312, 63975, 61313, 61314, 61315, 61316, 61317, 61318, 61319, 61320, 61321	Socket wrenches	3,2-4-5-5,5-6-7-8-9-10-11-12-13-14 mm	
12	67640, 67642, 67643, 67644, 67645, 67646, 67647, 67648, 67649, 67650, 67651, 67652	Long socket wrenches	4-5-5,5-6-7-8-9-10-11-12-13-14 mm	
1	62603	Ratchet	-	
2	61442, 61444	Extension	2"-6"	
	61445	Extension flexible		
	65874	Hinged handle		
1	61438	T handle	-	
	61435	Universal joint		
	66732	Socket holder		



KITS - SETS 1/4" - 1/2"

■ 18 PCS.


COD.	AF inch	PCS.		Kg
58726	1/2, 1/4	18	STANDARD PATTERN	2,5







PCS./UN.	Composition	Description		
7	61385, 61386, 61387, 61388, 61389, 61391, 61394	Socket wrenches 1/2"	13-14-15-16-17-19-22 mm	
1	62606	Ratchet 1/2"		
	61455	Extension 1/2"	5"	
7	61311, 63974, 63977, 63979, 63980, 63981, 63983	Socket wrenches 1/4"	4-4,5-5-6-7-8-10 mm	-
1	62603	Ratchet 1/4"	-	
	61454	Extension 1/4"	3"	



KITS - SETS 1/4" - 1/2"






19 PCS.

COD.		PCS.		
58727	1/2, 1/4	19	STANDARD PATTERN	3,0

PCS./UN.	Composition	Description		
7	60483,60484,60485,60486,60487,60488,60491	Socket wrenches 1/2"	1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-7/8"	
1	62606	Ratchet 1/2"	-	
2	61453,61458	Extension 1/2"	3"-10"	
1	61437	Universal joint 1/2"	-	
7	60420,60421,63991,63992,63993,63995,63996	Socket wrenches 1/4"	5/32"-3/16"-1/4"-9/32"-5/16"-3/8"-7/16"	
1	62603	Ratchet 1/4"	-	



COD.		PCS.		
58728	1/2, 1/4	19	LONG SOCKETS	3,7

PCS./UN.	Composition	Description		
7	67783,67784,67785,67786,67787,67789,67792	Long socket wrenches 1/2"	13-14-15-16-17-19-22 mm	
1	62606	Ratchet 1/2"	-	
2	61453,61458	Extension 1/2"	3"-10"	
1	61437	Universal joint 1/2"	-	
7	67640,67641,67660,67662,67663,67664,67666	Long socket wrenches 1/4"	4-4,5-5-6-7-8-10 mm	
1	62603	Ratchet 1/4"	-	